




**ALL
NUTS**

THE COMPLETE FASTENER CENTRE

BOLTS, SCREWS & NUTS | CUTTING | WELDING | TOOLS

-  PLAIN
-  WHITE Z.P.
-  YELLOW Z.P.
-  H.D.G.



the range

HEX HEAD SCREWS

	UNI	DIN	ISO	
8.8	5737	931	4014	
10.9	5737	931	4014	
12.9	5737	931	4014	
8.8	5739	933	4017	
10.9	5739	933	4017	
12.9	5739	933	4017	
8.8	5740	961	8676	
10.9	5740	961	8676	

HEX NUTS

	UNI	DIN	ISO	
8/6S	5588	934	8673	
10/8G	5588	934	8673	
10	5535	6334		

WASHERS

	UNI	DIN	ISO	
HV100	6592	125/A	7089/7091	
HV100	6593	9021	7093/7094	
HV430	1751	127/B		
HV430		7980		

SOCKET HEAD CAP SCREWS

	UNI	DIN	ISO	
8.8	ex 5931	ex 912	4762	
8.8	ex 5932	ex 912	4762	
8.8	9327	7984		

BUTTON HEAD SOCKET SCREWS

	UNI	DIN	ISO	
10.9			7380	

SELF LOCKING NUTS

	UNI	DIN	ISO	
8/6S	7473	982	10512	
10/8G	7473	982	10512	
8/6S	7474	985	10511	
10/8G	7474	985	10511	

HEX CASTLE NUTS

	UNI	DIN	ISO	
5	5594	935		
5	5593	935		

HEXAGON SOCKET SET SCREWS

	UNI	DIN	ISO	
45H	5923	913	4026	
45H	5927	914	4027	
45H	5929	916	4029	
45H	5925	915	4028	

COUNTERSUNK HEAD SOCKET SCREWS

	UNI	DIN	ISO	
8.8	ex 5933	ex 7991	10642	
10.9	ex 5933	ex 7991	10642	

THREADED INSERTS

	UNI	DIN	ISO	
Alluminium	9201			
Acciaio/Steel	9201			
Alluminium	9202			
Acciaio/Steel	9202			

CARRIAGE BOLTS

	UNI	DIN	ISO	
4.6	5731	603	8677	
8.8	5731	603	8677	

POZI PAN HEAD CHIPBOARD SCREWS

	UNI	DIN	ISO	
C15		7505-A		
C15		7505-B		
C15		7505-C		

RIVETS

	UNI	DIN	ISO	
Acciaio/Steel	9200A	7337		
Rame/Copper	9200A	7337		
Coppernickel	9200A	7337		
Alluminium	9200A	7337		

SELF DRILLING SCREWS

	UNI	DIN	ISO	
C15		T.C.FINTA RONDELLA FLANGE PAN HEAD SCREWS		
C15	8117	7504-K	15480	
C15	8118	7504-N	15481	
C15	8119	7504-P	15482	

DRYWALL SCREWS

	UNI	DIN	ISO	
C15				

SOCKET SCREWS

	UNI	DIN	ISO	
4.8	5933	7991		

HEX HEAD WOOD SCREWS

	UNI	DIN	ISO	
4.8	704	571		

SOCKET HEAD CAP SCREWS

	UNI	DIN	ISO	
	5931	912	4762	

REGULAR CLOSE CLAMPS

	UNI	DIN	ISO	

STUD BOLT METRIC THREAD

	UNI	DIN	ISO	
8.8	5911			

SELF TAPPING SCREWS

	UNI	DIN	ISO	
	6951	7971	1481	
	6952	7972	1482	
	6953	7973	1483	
	6954	7981	7049	
	6955	7982	7050	
	6956	7983	7051	

HEX NUTS

	UNI	DIN	ISO	
	5587-8-9	439-934	4032-33	
	7473-4	982-985	10511-12-13	

NUZZLES

	UNI	DIN	ISO	
		DIN 7663 A DIN 7663 B DIN 7663 C		

BOLT CLAMPS

	UNI	DIN	ISO	

PARALLEL KEYS

	UNI	DIN	ISO	
C40	660 4/A	6885A	R773	
C40	6606	6888	R773	

PINS

	UNI	DIN	ISO	
C70	6873-71	1481	8752	
C70	6875	7343	8750	

THREADED ROD

	UNI	DIN	ISO	
4.8	6547	975		
8.8	6910	976		

HEX FLANGE BOLTS

	UNI	DIN	ISO	
4.8	5541	6921	1662	
8.8	5541	6921	1662	
10.9	5541	6921	1662	

WING NUTS

	UNI	DIN	ISO	
	5448	315-1587		

WASHERS

	UNI	DIN	ISO	
Rame/Copper				
Alluminium				

HEX NUTS

	UNI	DIN	ISO	
8	5721-69	1587		
8		986		
8		6927		

RETAINING RINGS

	UNI	DIN	ISO	
	7435	471		
	7437	472		

PHIL MACHINE SCREWS

	UNI	DIN	ISO	
	7687	7985	7045	

MACHINE SCREWS

	UNI	DIN	ISO	
	6107	84	1207	

SPLIT PINS

	UNI	DIN	ISO	
3.6	1336	94	1234	
C70				



friulsider



friulsider



fixings

fixings

FM-753®

HEAVY DUTY THROUGH ANCHOR



DESIGNED FOR RELIABILITY BEYOND COMPARISON

ANTI-SLIDING

The shape of the expander clip guarantees a high fastening capacity

HIGH RESISTANCE

Achieved through the cold forging process

UNIFORM EXPANSION

The special clip ensures an uniform distribution of pressure in the hole

ANTI-CORROSION

Special anti-corrosion coating - more than 1000 hours in salt

FM-744®

HEAVY DUTY SHIELD ANCHOR - FOUR SEGMENTS



THE IDEAL SOLUTION FOR RESTORATION WORK

SINGLE SHIELD BODY

Higher resistance due to the single piece body

ANTIROTATION

Four lugs prevent rotation in the hole

SELF-CENTRING

Exclusive cone containing system

FM-X5®

MULTI-EXPANSION LONG PLUG



THE NEW FIXING WHICH BLOCKS BY HAND

GREATER GRIP

Innovative variable geometry multi-expansion

CAN BE FIXED BY HAND

Low torque need during expansion

ANTI-CORROSION

Special anti-corrosion coating - more than 1000 hours in salt spray test

SCREW ALWAYS PREASSEMBLED

Ready to use. Available in versions: white zinc plated - Nautilus - Stainless steel A4 70

CE CERTIFICATION
Guaranteed safety

ULTRA FLEXIBLE
High quality nylon

FIRE RESISTANT
Fire resistance class = 90 minutes (plug ø 10 in concrete)

MAXIMUM VERSATILITY
Tested in all base materials

TUP4

LONG NYLON THROUGH ANCHOR



HIGH EXPANSION ALL TYPES OF BASE MATERIALS

TOP PERFORMANCE

The internal and external design generates increased expansion

TOP PERFORMANCE

The locating groove in the plug ensures a correct positioning of the screw during installation

TOP PERFORMANCE

Prevents internal damage to the plug



FM-753® Heavy duty anchor



FM-744 Heavy duty shield anchor



FM-X5® SAFER Anti-intrusion system



FM-X5® Multi-expansions long plug



TUP4 Long nylon high expansion plug



TUP3 Long nylon 3 wing plug



TU Nylon plug



TA Nylon plug with accessories

Cup hook white zinc plated metal washer



Eye white zinc plated metal washer



Short hook white zinc plated metal washer



FM-SUPERCLAMP Bolt clamp



CP Heavy duty steel pipe collar



CPI Heavy duty steel pipe insulating collar



CAD Steel clamp



CSA Steel clamp with bracket

C.K. TOOL SYSTEMS

tubeclamps™
"the fitting solution"™

167 DOUBLE SWIVEL COMBINATION

OERLIKON
Welding Consumables
Product Data

MUSTAD
SCREW TECHNOLOGY




ACTION CAN™
60+ Premium Grade Product Range

TF-90 FAST DRYING CLEANING SOLVENT
ZG-90 GOLD ZINC GALVANISE
AC-90 SUPER-DRY CLEANING PROTECTS AGAINST RUST
CS-90 COPPER GREASE
RP-90 RAPID PENETRATING & RELEASE FLUID

Viro™

alba&n

- + Cutting / Grinding Discs +
- + Steel Pipes +
- + Rubber Hoses +
- + Hollow Sections +
- + Corrugated Sheets +
- + Sealants and Adhesives +
- + Shelving Systems +



BOLTS SCREWS AND NUTS - CUTTING - WELDING - TOOLS



JP Baldacchino & Co Ltd. | Ferrum House | Ghaxaq Road | Gudja GDJ 2031 | Malta
info@jpbaldacchino.com | allnuts@jpbaldacchino.com | www.jpbaldacchino.com
T: 2367 7129 | F: 2367 7151